Page 1 of _2_

CONFIGURATION REVIEW BOARD DIRECTIVE 1. PAN R1K2063										
2. CONFIGURATION ITEM / PART NUMBER 3. CCB NAME / LEVEL / DATE										
General Ammunition Packaging					General Packaging LEVEL II 5 Nov 2001					
4. TYPE OF ACTION					N ORIGINATOR NAME					
X ECP	VECP	RFW		TACOM-ARDEC, AMSTA-AR-WEP Danielle Frank						
				6. ACTION ORIGINATOR NUMBER AND DATE R1K2063, 010905						
	TH COMBAT DEVELOPE		В.	B. SYNOPSIS OF CHANGE						
	a Combat Developer Coordina 1 ECPs for type classified item:		A	dd red	quirement to heat-tr	eat all non-m	anufactured wood			
INFORMAL SCHOOL CODES F	FOR NOTIFICATION (Key on back	FORMA			materiel for MIL-B			IIL-B-		
01	<u> </u>		⁻ 46	6506	Wirebound wood bo	xes				
NO □ 02	05 08	YES	•							
□ □ □ 03	□ 06 □ 09	x NA								
OTHER			╝							
9. MODIFICATION TO S	SUBMITTED ACTION		1							
X NONE REVISION	CORRECTION SE	E PAGE 2								
10. POSITION ON REC	OMMENDATION TO CON	FIGURATIO	N MA	NAGE	R	·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ··				
OFFICE SYMBOL	SIGNATURE		CON	ICUR	027107 01710			CONCUR		
OFFICE SYMBOL	SIGNATURE		YEŞ	NO	OFFICE SYMBOL	SIG	NATURE	YES NO		
AMSTA-AR-WEP-RP	Vim Wheat		X		AMSOS-SF	Dunes	D. Wast	X		
AMSTA-AR-FSA-R	Cous Sencoln-4	maio	Χ	_	MCLNO-LMA	(1)	tien /	$\frac{1}{\lambda}$		
AMSOS-BR	* 0 '		,- 1		NVLNO	Surve	200 A Concesor	×		
SOSMA-PRG-A	A.c.				AFLNO	WM -	endu	X		
SOSMA-PRM-B	stock House		X		SFAE-MSL-ARM-RQ	- X		7		
SOSMA PRG M. Ams	05-PKM grack	W Bulon	×		AMSOS-CCM	Jan	Meyer	λ		
AMSTA-AR-CCL-FM	Auch C. Tri		X		AM Sos-Cem-F	Or de M	A tul	$\hat{\mathbf{x}}$		
SOSMA-PRC-S	Phille Richard-e	mail	Χ		Amsos-Cem-F	500	Campbell	×		
SOSMA-PRM-D	they M tento		1					~		
SOSMA-PRC-T	*						, <u> </u>			
REMARKS:										
					•					
See Page 2										
*No Input/No Vo	to .									
	ie.									
12a. ECP CLASSIFICATION	12b. RFW/RFD DESIGNATIO	N 12	c. REC	URRING	RFD/RFW 12d. ECP	RESULTS 12e. (OST IMPACT			
Σī	CRITICAL		х	NO	· · · · · · · · · · · · · · · · · · ·	M RFW/D	NONE			
	MI MI	IOR		YES-EÇI	REQUIRED?	ES L				
II	MAJOR			П	ES NO X	ю <u>-</u>	DECREASE \$			
12a AURIDIAN DECE	MATERIA TO A	la i=					<u>xl</u>			
13a. CHAIRMAN RECOM		11David A. I			JAMA.	/ /	13c. DATE			
APPROVE V A										
DISAPPROVE 0	THER	14b. CONE	PRII	MTEOTY)	EDNAME OFFICE STUBOL AND SHE	SALTURE /				
14a. DECISION ON ACT	14a. DECISION ON ACTION Robert L.					MOM	14c. DATE			
APPROVE X	PPROVE AS MODIFIED	AMSTA			D NAME, OFFICE SUYMBOL AND SIG	RNATURE	LO111	96 I		
	THER				30 110002 1 110 000		14d. TELEPHO			
							782-669	4		

CONFIGURATION REVIEW BOARD DIRECTIVE	Page 2	of	2
TOTAL DUILD DIILOITE	PAN R1K	K2063	
11. REMARKS, CONTINUED:		12002	
a. CCB BOARD RECOMMENDATION W/RATIONALE: Recommend that the action be approved as modified.			
b. MODIFICATIONS/CORRECTIONS: Added clarification to NORs 2 of 2, MII 46506 by stating in paragraph 4 4 3.7 "If morking does not asset to be a second of the	I -R-2427 and NOR	'- ሳ _ጉ ድን ነ	. 444 E
46506 by stating in paragraph 4.4.3.7 "If marking does not comply on one or m c. QAP CHANGES NEEDED/INCLUDED: NONE.	iore boxes then the	3 2 01 2, 1, lot"	AIL-B-
d. TM AFFECTED: NONE.			
e. OTHER SYSTEMS AFFECTED:			
f. CONTRACTS AFFECTED: New and existing solicitations and contracts as dete	ermined by product	t team me	embers.
g. IMPLEMENTATION INSTRUCTIONS: AMSOS-CCG will incorporate into ne For ECPs:	w solicitations and fi	uture cont	racts.
OPTIONAL			
X MANDATORY			
WITHOUT WITH OBSOLESCENCE	•		
NO COST COST NTE \$_TBD			
FIRST ARTICLE TEST/INSPECTION RECOMMENDED			
h. READINESS IMPACT: NONE.			
i. EOD IMPACTED: NONE.			
j. VE SAVINGS: NONE.			
RATIONALE/CALCULATIONS FOR COST CONCESSION (RFW) OR CONTRACTUAL COST AI			
TOTAL\$ N/A _ %	DJUSTMENI (HFD, EC	;P, VECP):	:
			
<u></u>			
DZONE DEPLETING SUBSTANCE ELIMINATED: YES \square NO \square	រា		

DATE (YYMMDD) ENGINEERING CHANGE PROPOSAL Form Approved OMB No. 0704-0188 010905 (SHORT FORM) (SEE MIL-STD-481 for Instructions) **PROCURING ACTIVITY NUMBER 19200** R1K2063 Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden, estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503. 1. ORIGINATOR NAME AND ADDRESS 2. CONTRACT NUMBER AND LINE ITEM **US ARMY - ARDEC** AMSTA-AR-WEP 3. PROCURING CONTRACTING OFFICER Picatinny Arsenal, NJ 07806-5000 CODE TEL 4. TITLE OF CHANGE To update the military specifications according to recent European mandates towards non-manufactured wood. AMEND 9. PRIORITY 5. ECP NUMBER 6. CAGE CODE 7. CLASS OF ECP 8. JUST, CODE R1K2063 19200 > R 10. SPECIFICATIONS AFFECTED 11. DRAWINGS AFFECTED CAGE CODE SPECIFICATION/DOCUMENT NO REV CAGE CODE NUMBER REV MIL-B-2427 G MIL-B-46506 G 12. CONFIGURATION ITEM NOMENCLATURE/TYPE DESIGNATION/WEAPON SYSTEM CODE 13. IN PRODUCTION-Boxes, Ammunition Packing Wood, Wirebound and Nailed YES 14. LOWEST ASSEMBLY AFFECTED NOMENCI ATURE PART NO. NSN 15. DESCRIPTION OF CHANGE To add the current heat treatment requirements, a new grade of box, and testing/inspection procedures to the wirebound and nailed wood box military specifications. 16. NEED FOR CHANGE Heat treatment will be mandatory for all non-manufactured wood packaging products transported to european destinations beginning 01 October 2001. This ECP adds this requirement to ammunition box specifications. 17. EFFECT ON ASSOCIATED EQUIPMENT N/A 18. PRODUCTION EFFECTIVITY BY SERIAL NUMBER 19. EFFECT ON PRODUCTION DELIVERY SCHEDULE N/A NONE 20. RECOMMENDED RETROFIT EFFECTIVITY 21. ESTIMATED KIT DELIVERY SCHEDULE 22. ESTIMATED COSTS/SAVINGS NONE N/A estimated 30% increase 23. SUBMITTING ACTIVITY AUTHORIZED SIGNATURE 23.a. TITLE James F. Zoll, Supervisory Packaging Engineer 24. ARPROVAL / DISAPPROVAL DISAPPROVAL RECOM NOED APPROVAL c. GÖVERNMEN SIGNATURE DATE (YYMMOO) APPROVED DISAPPROVED

DD Form 1693, JUL 88

GOVERNMENT ACTIVITY

A-AR-WEP-R

d. APPROVAL

APPROVED (M)

DISAPPROVED

Statement A, Unlimited

DATE (YYMMDD)

NOTIC THIS REVISION DESCRIBED BELOW	Form Approved OMB No. 0704-0188			
Public reporting burden for this collection of informati data sources, gathering and maintaining the data nee or any other aspect of this collection of information, Directorate for Information Operations and Reports, Budget, Paperwork Reduction Project (0704-0188), VTHESE ADDRESSES. RETURN COMMITTEE.	2. PROCURING ACTIVITY NO. R1 K2063			
THESE ADDRESSES. RETURN COMPLETED ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FO		TRACTING OFFICER FOR T	HE CONTRACT/PROCURING	3. DODAC
4. ORIGINATOR a. TYPED NAME	b. ADDRESS (Street, City, State, Zip Co	de)	5. CAGE CODE	6. NOR NO.
Danielle A. Frank	US ARMY-ARDEC AMSTA-AR-WEP		19200 7. CAGE CODE	R1K2063 8. DOCUMENT NO.
	Picatinny Arsenal, NJ, 07806-	5000	7. GAGE CODE	MIL-B-46506
9. TITLE OF DOCUMENT Boxes, Ammunition Packing Wood,	Wirebound	10. REVISION LETTER a. CURRENT	b. NEW	11. ECP NO.
		G	D. 14244	R1K2063
12. CONFIGURATION ITEM (OR SYSTEM) 1				NOD OL
Boxes, Ammunition Packing Wood,	Wirebound			NOR Sheet 1 of 2
13. DESCRIPTION OF REVISION				
Change Grade A on page 1 to re	ead as follows:			
	and heat treated boxes for the	inrestricted overses		
Handling of a	immunition or explosive amm	unition components	is suipment or long	term storage and
			s. (see 3.10 & 3.11)	
Change Grade B on page 1 to re	ad as follows:			
	non- preservative treated boxe	es for overseas ship	ment and short terr	n storage and handling
of ammunitio	n and explosive ammunition c	omponents. (see 3		ii storage and nandring
	•	omponents. (See 3.	.11)	
Add new grade on page 1 as follo	ows:			
Grade C - Boxes withou	t preservative or heat-treatmen	t for interplant or d	omestic shipment	and for storage and
handling unde	er controlled conditions of ami	nunition or explosi	ve ammunition con	aponents.
Add new paragraph 3.11 on page				
3.11 Heat Treatment Requirement 56 degrees Celsius for a minimum of 57 degrees applicate the partment of Agriculture. East and ard. The quality mark shall be placed by the first property of the first	ture is not subject to the heat trea ation. The box manufacturer shal ch box shall be marked to show c laced on both ends of the box bets	ated to the same requirement. If the last the same requirement is a second to the last the la	rement after box fab for Grade A & B box in inspection agency a	rication. Manufactured les, heat treatment shall ccredited by the United
				a *
14. THIS SECTION FOR GOVERNMENT USE	ONLY			
a (V)	lemented by this NOR may be used in mar	windture		
	t be received before manufacturer may inco			•
(3) Custodian of master doc	cument shall make above revision and furni	_		
b. ACTIVITY AUTHORIZED TO APPROVE C		PED NAME (First, Middle In	nitial, Last)	
d. TITLE	e. SIGNATURE) / /		f DATE (VVIIII)
CM	f. DATE (YYMMDD)			
15.a. ACTIVITY ACCOMPLISHING REVISION	111106			
US ARMY- ARDEC, AMSTA-AR-W PICATINNY ARSENAL, NJ 07806-5	EP	MPLETED (Signature)]	c. DATE (YYMMDD)

110-10-10-1				
NOTICE OF	REVISION (NOR)		1. DATE	Form Approved
THIS REVISION DESCRIBED BELOW HAS BEEN	JMENT LISTED.	(YYMMDD)		
			011024	OMB No. 0704-0188
Public reporting burden for this collection of information is estimated to a gathering and maintaining the data needed, and completing and reviewin	verage 2 hours per response, including the t	me for reviewing instructions, searching a	atisting data sources,	2. PROCURING
CONSCION Of Information Including automation for an including	ACTIVITY NO.			
Reports, 1215 Jefferson Davis Highway, Suits 1204, Arlington, VA 22202 Washington, DC 20603.	R1K2063			
PLEASE DO NOT RETURN YOUR COMPLETED FO				
	CTING OFFICER FOR THE CON	JUHESSES, RETURN COMPL ITPACT/PROCHIPING ACTIVI	LETED	3. DODAAC
NUMBER LISTED IN ITEM 2 OF THIS FORM.		ITRAVITENOVUNING AUTIFE	1 ! Y]
4. ORIGINATOR	T. 4222500 (0) 1 00 00			
	b. ADDRESS (Street, City, St. CDR, TACOM/ A	ate, Zip Code)	5. CAGE CODE	6. NOR NO. R1K2063
a. TYPED NAME (First, Middle Initial, Last)	ATTN: AMSTA-A	RDEC	19200	<u></u>
Kimberly Wheat	Rock Island, IL 6	M-VV EC-MC 1900_7900	7. CAGE CODE	8. DOCUMENT NO.
		1289-7300	19200	MIL-8-46506
9. TITLE OF DOCUMENT		10. REVISION LETTER		
Boxes, Ammunition Packing Wood, Wirebound		a. CURRENT	b. NEW	11. ECP NO.
		G. GOTTHENT	D. INEWY	R1K2063
12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH	I ECP APPLIES			
Boxes, Ammunition Packing W	ood, Wirebound			NOR sheet 2 of 2
13. DESCRIPTION OF REVISION	——————————————————————————————————————		<u> </u>	
Page 11 renumber paragraph 3.11 to 3.	.12			
• • • • • • • • • • • • • • • • • • •	· 1 for			
Page 11 renumber paragraph 3.12 to 3.	10			
· ago · · · · · · · · · · · · · · · · · · ·	, 13.			
Dage 11 renumber paregraph 2 10 to 0				
Page 11 renumber paragraph 3.13 to 3.	.14			
Aut		•		
Add paragraph on page 16 as follows:				
4.4.3.7 Presence of Heat Treatment. (steps. The heat treatment marking on each	ea 3 10) Major Defect	A sample of 15 hou		
obvious infestation or evidence of infesta	ation of any box in the	sample lot shall be ca	org. Worm not	38). Any visually
		sample for silen be se	tuse ioi rejectioni.	
Add paragraph on page 19 as follows:				
6.1.2 Grade B boxes are intended prima	wike for according			
6.1.2 Grade B boxes are intended prima ammunition components.	rily for overseas snipm	ent and long-term sto	rage of ammunitie	on and explosive
ammundon components.				
D 40				
Page 19 renumber paragraph 6.1.2. to 6	<i>i</i> .1.3.			
Change paragraph 6.1.3 as follows:				
- · · · · · · · · · · · · · · · · · · ·				
6.1.3 Grade C boxes are intended prima	ulli. Eau lataralant ahinn			
of ammunition or components.	rily for interplant snipm	ent and short-term st	orag e	
or annihilation of components.				
				
4.				
. (X one) (1) Existing document supplemente				
	d by this NOR may be used in m	anufacture.		
(2) Revised document must be rece (3) Custodian of master document s	aved before manufacturer may in shall make above revision and for	corporate this change.		
ACTIVITY AUTHORIZED TO APPROVE CHANGE FOR				·
TOTALL AGENCY TO AFFROYE CHANGE FOR	R GOVERNMENT C	. TYPED NAME (First, Middle	Initial, Last)	
TITLE Debatt Dist Automotive Man			• •	
TITLE Robert L. Riedl, Configuration Manager	. SIGNATURE	1 1 9	1. DATE SIGN	
AMSTA-AR-WEP-R	14 M	IN I MAIL	(YYMMDD)	
		YU J.IVU	1 11/14	186
5. a. ACTIVITY ACCOMPLISHING REVISION b.	. REVISION COMPLETED (Sign	nature)	c. DATÉ SIGN	
1	· •		(YYMMDD)	
			(,,00)	

NOTIC THIS REVISION DESCRIBED BELOV	Form Approved OMB No. 0704-0188				
Public reporting burden for this collection of information data sources, gethering and maintaining the data nee or any other aspect of this collection of information. Directorate for information Operations and Reports, Budget, Paperwork Reduction Project (0704-0188), V	ded, and completing and reviewing the collection including suggestions for reducing this burden, t 1215 Jefferson Davis Highway, Suite 1204, Arl Vashington, DC 20503. PLEASE DO RETURN	of Information. Send comments to Department of Defense, Washington, VA 22202-4302, and to a YOUR RETURN YOUR COMP.	regarding this burden estimate ington Headquarters Services, the Office of Management and FTED FORM TO SITUES OF	2. PROCURING ACTIVITY NO. R1K2063	
THESE ADDRESSES. RETURN COMPLETED I ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FO	FORM TO THE GOVERNMENT ISSUING COI	ITRACTING OFFICER FOR T	HE CONTRACT/PROCURING	3. DODAC	
4. ORIGINATOR a. TYPED NAME	O. OAGE GODE				
Danielle A. Frank	US ARMY-ARDEC AMSTA-AR-WEP Picatinny Arsenal, NJ, 07806-	5000	7. CAGE CODE	8. DOCUMENT NO. MIL-B-2427	
9. TITLE OF DOCUMENT		10. REVISION LETTER		11. ECP NO.	
Box, Ammunition Packing Wood, Na	ailed	a. CURRENT	b. NEW	Divosa	
12. CONFIGURATION ITEM (OR SYSTEM)	TO WHICH ECP APPLIES	<u>G</u>		R1K2063	
Box, Ammunition Packing Wood, N	alled			NOR Sheet 1 of 2	
13. DESCRIPTION OF REVISION					
Change Grade A on page 2 to read					
Preservative and heat treated boxe explosive ammunition component	es for the unrestricted oversea	s shipment or long-t	erm storage and ha	ndling of ammunition or	
expressive diministration component	,				
Add new grade on page 2 as follo	mc.				
- 10	ted, non-preservative treated b	oves for overseas s	ninment and chart t	arm storess and	
	of ammunition or explosive a		-	erm storage and	
nanding	of animum tion of explosive a	ammamuon compon	ents.		
Change Grade C on page 2 to read	d as follows:				
		pment and for stora	ge and handling un	der controlled	
Boxes without preservative or hea conditions of ammunition or explo	osive ammunition component	s, for domestic ship	ment only.		
Add new paragraph 3.10 on page	14 as follows:				
2.10.17	4.7.4.1.				
3.10 <u>Heat Treatment (Grade A</u> Celsius for a minimum of 30 minutes	& B Only). Boxes shall be fab	ricated from wood he	at treated to a core te	mperature of 56 degrees	
treatment shall take place prior to pre	servative application. The box n	nanufacturer shall be	affiliated with an inst	ection agency accredited	
by the United States Department of A Convention Standard. The quality ma	Agriculture. Each box shall be m	arked to show confort	nance to the Internati	onal Plant Protection	
to the original source of heat treatment	ak shan be placed on both ends on.	of the box between the	end cleats and the m	ark snam snow traceability	
-					
14. THIS SECTION FOR GOVERNMENT US	E ANII V				
a (V and) m	polemented by this NOR may be used in m				
(1) Existing document sup	st be received before manufacturer may in				
-	ocument shall make above revision and ful	•			
b. ACTIVITY AUTHORIZED TO APPROVE		YPED NAME (First, Middle	Initial, Last)		
d. TITLE	e. SIGNATURI	= /) /		F DATE (VVARIADO)	
0 11	e. SIGNATON	$-\nu_{\mu L L}$	H-1(V. 11)	1. DATE (YYMMDD)	
(101		Morris	JAMAN	011106	
15.a. ACTIVITY ACCOMPLISHING REVISION US ARMY- ARDEC, AMSTA-AR-V PICATINNY ARSENAL, NJ 07806-	VEP	COMPLETED (Signature)		c. DATE (YYMMDD)	
······································	"UVUU			i	

VOTIOT							
NOTICE OF		1. DATE (YYMMDD)	Form Approved				
THIS REVISION DESCRIBED BELOW HAS BEEN	THE DOCUMENT LISTED.						
Public reporting burden for this collection of Information is estimated to gathering and maintaining the data needed, and completing and review collection of information, including suggestions for reducing this burden.	everage 2 hours per response, including the tin	e for reviewing instructions, searching	existing data sources.	2 PROGUENIO			
collection of information, including suggestions for reducing this burden, Reports, 1215 Jefferson Davis Highway, Suits 1204, Arlington, VA 2220 Washington, DC 20803.	2. PROCURING ACTIVITY NO. R1K2063						
PLEASE <u>DO NOT</u> RETURN YOUR COMPLETED F FORM TO THE GOVERNMENT ISSUING CONTRAI NUMBER LISTED IN ITEM 2 OF THIS FORM.	3. DODAAC						
4. ORIGINATOR	b. ADDRESS (Street, City, Sta	te. Zin Code)	5. CAGE CODE				
a. TYPED NAME (First, Middle Initial, Last)	CDR, TACOM/ AF ATTN: AMSTA-AF	IDEC	19200	6. NOR NO. R1K2063			
Kimberly Wheat	Rock Island, IL 61	299-7300	7. CAGE CODE 19200	8. DOCUMENT NO.			
9. TITLE OF DOCUMENT	<u> </u>	La Company		MIL-B-2427			
Boxes, Ammunition Packing Wood, Nailed		10. REVISION LETTER a. CURRENT		11. ECP NO.			
		G G	b. NEW	R1K2063			
12. CONFIGURATION ITEM (OR SYSTEM) TO WHICE Boxes, Ammunition Packing V	H ECP APPLIES			NOR Sheet 2 of 2			
13. DESCRIPTION OF REVISION	vood, Nalled			NON SHEEL 2 01 2			
10. DESCRIPTION OF REVISION							
Page 14 renumber paragraph 3.10 to 3	3.11.						
D- 40.01							
Page 16 Change paragraph 4.4.2.1 from	m "Grade A C" to "Grade	∍ A B C".					
Add new paragraph on page 20 as follo							
Paragraph on page 20 as 10110	JWS.						
4.4.3.7 Presence of Heat Treatment (s	see 3 10) Major Dofact	A					
4.4.3.7 Presence of Heat Treatment. (steps. The heat treatment marking on ea	seb of the boyer shall be	A sample of 15 bo	xes shall be selec	ted at random for this			
3.11 for content, legibility and location. The boxes shall also be examined for the	in marking does not con	iply on one or more	boxes then the lo	t shall be rejected.			
obvious infestation or evidence of infest	tation of any box in the s	ample lot shall be o	ause for rejection.				
4.		-					
. (X one) (1) Existing document supplements	ad hualtin NOB						
(2) Revised document must be reco	AIVAC DAIOSA manufacturas massims	Action and the second second					
(3) Custodian of master document ACTIVITY AUTHORIZED TO APPROVE CHANGE FO							
	C.	TYPED NAME (First, Midd	lle Initial, Last)				
TITLE Robert L. Riedl, Configuration Manager AMSTA-AR-WEP-R	B. SIGNATURE	111	f. DATE SIGN	VED			
UMO IV-MU-MER-H	Miller	A1 1.10	(YYMMDD)				
5. a. ACTIVITY ACCOMPLISHING REVISION	BEVIOLON CALLEY	u o / Ne	4 11/	100			
CONTRACTOR MAG (VEARION)	D. REVISION COMPLETED (Sign	ature)	c. DATE SIGI				
			(YYMMDD)	<i>)</i>			

<u>}</u>										
						2063				
X TRANSFE PROJECT OTHER	MANAG	SED			2b. TYPE A	VECP	RFP RFW	OTHER_		
3a. CONTRACT(s) AFFI	ECTED				3b. SOLICI	TATION(s) AF	FECTED			
	<u> </u>								MM	
APPLICATION Apply to current Apply to future a Formalizes char Associated or Ir as listed in Rem	applicat nge pre nterface arks.	ions viously a Change	authorized via:	RETROFIT Attrition Minor Alteratic MWO	on		DEC	REASE _est 20	STA-AR DAD	
6a. RECOMMENDATION X APPROVE DISAPPROVE			OVE WITH MODIFICATION		T T	CATION(s) TO	SUBMITTED AS FO	action LLOWS: SEE RE	MARKS	1
7. POSITION ON RECOI			O CONFIGURATION MANAGER							
DISCIPLINE	YES	NO	OFFICE SYMBOL	TELE	PHONE	TYPED/PI	RINTED NAME	AND SIGNATURE	YES	NOUR NO
PRODUCT DRAWINGS			AMSTA-AR-WEP	DSN 88)-2772	Т	apan Cha		×	
SPECIFICATIONS/ QAPs			AMSTA-AR-QAT-P	DSN 88	30-5646	W A	alter Auge	oung	X	
PACKAGING DATA	х		AMSTA-AR-WEP	DSN 88	0-2413	Da	ielie A. Fra	Sink Sink	х	
SOFTWARE								// /		!
MAINTENANCE			AMSTA-AR-WEL-A	DSN 88	0-3452	~ 0		hoonmaker	X	
VALUE ENGINEERING							·			
* NOTE: A Notice of F 8. REMARKS	Revision	(NOR)	is required for each documen	nt needing re	vision when a	a change is	recommende	d for approval.		
Recommend A	.pprov	/al.								
9a. OFFICE SYMBOL		1	9b. TYPED/PRINTED NAME ANI	D TITLE	9c. SIG	NATURE	+	9d. DA	TE /	21
AMSTA-AR-WE	•	-	James F. Zoll	. (Lo X	1		/ 19 / LEPHONE N-880-2	
(AMCCOM 390-R-	F 1 6		pervisory Packaging En	ngineer \	<u> </u>	<u> </u>	$\left(\cdot \right)_{\tilde{a}}$			
マット・マンシン マック・ファーマーマーマーマーマーマーマーマーマーマーマーマーマーマーマーマーマーマーマ	∟, 1 ľ	Φυ. 3	<u>~ :</u>				1 / S	TATEMENT A	THAIL IN	ALT ET

K K